

# TYPE APPROVAL CERTIFICATE

**This is to certify:****That the Temperature Sensor**

with type designation(s)  
**KombiTemp K 8312 / K 8372**

Issued to

**SIKA Dr. Siebert & Kühn GmbH & Co. KG**  
**Kaufungen, Germany**

is found to comply with  
**DNV GL rules for classification – Ships**

**Application :**

**Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.**

**Location classes:**

<b>Temperature</b>	<b>B</b>
<b>Humidity</b>	<b>B</b>
<b>Vibration</b>	<b>B</b>
<b>EMC</b>	<b>-</b>
<b>Enclosure</b>	<b>B</b>

This Certificate is valid until **2022-03-01**.

Issued at **Hamburg** on **2017-03-02**

DNV GL local station: **Magdeburg**

for **DNV GL**

Approval Engineer: **Klaus-Peter Schröder**

.....  
**Joannis Papanuskas**  
**Head of Section**

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

## Product description

KombiTemp K 8312 / K 8372 dial thermometers for combined temperature measurement of exhaust gas on diesel engines:

- Version 1 and 3 for 4-stroke engines
- Version 2 for 2-stroke engines.

Type	Order code
KombiTemp K8312 - version1	K8312V561000001
KombiTemp K8312 - version2	K8312V561000002
KombiTemp K8372 - version3	K8372V5622150001

### Technical data

Case	Bayonet ring case, stainless steel 1.4301
Nominal size	80 mm
Measuring range	50 ... 650°C
Electrical connection	Cable outlet with 9m cable length (version 1 and 3) 2 pole MIL connector, without cable (version2)
Connection position	Bottom or rear connection
Connection thread / material	Union Nut, G3/4, brass

## Application/Limitation

The Type Approval covers hardware listed under Product description.

When the hardware is used in applications to be classed by DNV GL, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV GL RU SHIP Pt.4 Ch.9 Sec. 1.

## Type Approval documentation

### Tests carried out

Applicable tests according to Class Guideline DNVGL-CG-0339, Edition November 2016.

### Marking of product

The products to be marked with:

- manufacturer name
- type
- article number and order number
- serial number.

### Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed at least every second year and at renewal of this certificate.

END OF CERTIFICATE